

# SAFETY DATA SHEET

Revision Date 08-May-2023

**GREEN 500** 

**Chromium Oxide Green 500** 

### 1. IDENTIFICATION

**Product identifier** 

Product Name Chromium Oxide Green 500

Other means of identification

Product Code GREEN 500

Recommended use of the chemical and restrictions on use
Recommended Use Coloring agent for Concrete.

Uses advised against Consumer use

Details of the supplier of the safety data sheet

Supplier Address Solomon Colors, Inc. 4050 Color Plant Road Springfield, IL 62702

Company Phone Number 800-624-0261 (US & Canada); 217-522-3112 (Outside North America)

24 Hour Emergency Phone Number 800-373-7542

### 2. HAZARDS IDENTIFICATION

#### Classification

**OSHA Regulatory Status** 

This product is NOT classified as hazardous according to the criteria contained in the Hazard Communication Standard 29 CFR 1910.1200 (known as HCS 2012) or the Hazardous Products Regulations SOR/2015-17 (known as WHMIS 2015).

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

#### Label elements

### **Emergency Overview**

Health injuries are not known or expected under normal use. This SDS contains valuable information critical to the safe handling and proper use of the product. The SDS should be retained and available for employees and other users of this product.

Appearance Green Powder Physical state Solid Odor Odorless

Hazards not otherwise classified (HNOC)

Other Information

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

GREEN 500 1 / 8 Chromium Oxide Green 500

Chemical Name	CAS No.	Weight-%	Trade Secret
Chrome Oxide	1308-38-9	95-100	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

#### **Description of first aid measures**

**General advice**No hazards which require special first aid measures. If symptoms persist, call a physician.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids.

**Skin Contact** Wash off immediately with plenty of water.

**Inhalation** Remove to fresh air. If symptoms persist, call a physician.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

#### Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

### Indication of any immediate medical attention and special treatment needed

### 5. FIRE-FIGHTING MEASURES

### Suitable extinguishing media

Dry chemical, Carbon Dioxide, Foam, Sand. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

No information available.

**Hazardous combustion products** Thermal decomposition can lead to the release of irritating gases and vapors. Carbon monoxide. Carbon dioxide (CO2).

### **Explosion data**

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Avoid creating dust.

GREEN 500 2 / 8 Chromium Oxide Green 500

Environmental precautions

**Environmental precautions** See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Vacuum or sweep up material and place in a designated labeled waste container. Prevent

further leakage or spillage if safe to do so. Prevent dust cloud.

**Methods for cleaning up**Sweep up and shovel into suitable containers for disposal.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

### 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place.

**Incompatible materials** Strong oxidizing agents. Strong acids.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

**Exposure Guidelines** Where exposure limits have not been established for specific components of this material,

please observe the OSHA and ACGIH established limits for particulates not otherwise classified (PNOC). OSHA PEL: [15 mg/m³ (total dust) 8-hr TWA], [5 mg/m³ (respirable) 8-hr TWA]. ACGIH TLV: [10 mg/m³ (inhalable) 8-hr TWA], [3 mg/m³ (respirable) 8-hr TWA].

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Chrome Oxide	-	TWA: 0.5 mg/m <sup>3</sup> Cr	IDLH: 25 mg/m <sup>3</sup> Cr(III)
1308-38-9		(vacated) TWA: 0.5 mg/m <sup>3</sup> Cr	TWA: 0.5 mg/m <sup>3</sup> Cr

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

**Appropriate engineering controls** 

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

**Skin and body protection** Wear protective gloves and protective clothing. Protective shoes or boots.

**Respiratory protection** In case of inadequate ventilation wear respiratory protection.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of

equipment, work area and clothing is recommended. Wash face, hands and any exposed

skin thoroughly after handling.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

GREEN 500 3 / 8 Chromium Oxide Green 500

### Information on basic physical and chemical properties

Physical state Solid

AppearanceGreen PowderOdorOdorlessColorGreenOdor thresholdNot applicable

Remarks • Method

 Property
 Values

 pH
 3.0-8.0

Melting point/freezing point

Boiling point / boiling range
Flash point
Evaporation rate
Flammability (solid, gas)

>1000°C (1832°F)
No information available
No information available
No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available
No information available

Specific Gravity ~4.0 - 5.0 Water solubility Insoluble

Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available No information available **Decomposition temperature** Kinematic viscosity No information available **Dynamic viscosity** No information available **Explosive properties** No information available **Oxidizing properties** No information available

**Other Information** 

Softening pointNo information availableMolecular weightNo information availableVOC Content (%)No information availableDensityNo information availableBulk densityNo information available

### 10. STABILITY AND REACTIVITY

### Reactivity

No data available

#### **Chemical stability**

Stable under normal conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

**Hazardous polymerization** None under normal processing.

### **Conditions to avoid**

Extremes of temperature and direct sunlight.

#### Incompatible materials

Strong oxidizing agents. Strong acids.

### **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Carbon monoxide. Carbon dioxide (CO2).

GREEN 500 4 / 8 Chromium Oxide Green 500

### 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### **Product Information**

**Inhalation** May cause irritation of respiratory tract.

Eye contact May cause mechanical irritation (abrasion).

Skin Contact May cause mechanical irritation (abrasion).

**Ingestion** Not for human consumption. May be harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Chrome Oxide	> 5000 mg/kg (Rat)	-	> 5.41 mg/L (Rat) 4 h
1308-38-9			

### Information on toxicological effects

**Symptoms** No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**Not classified. (Based on mixture components.). **Serious eye damage/eye irritation**Not classified. (Based on mixture components).

Sensitization Not Classified. This product does not contain known sensitizers at levels > or equal to 0.1%.

**Germ cell mutagenicity** Not classified. (Based on mixture components).

Carcinogenicity Not classified. (Based on mixture components). The table below indicates whether each

agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Chrome Oxide	-	Group 3	-	-
1308-38-9		•		

IARC (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Not classified. (Based on mixture components).
Not classified. (Based on mixture components).
Not classified. (Based on mixture components).

Aspiration hazard Not applicable.

### Numerical measures of toxicity - Product Information

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

This product has not been fully evaluated on the product level.

### Persistence and degradability

No information available.

# **Bioaccumulation**

No information available.

Other adverse effects No information available

GREEN 500 5 / 8 Chromium Oxide Green 500

# 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws and regulations. Disposal of wastes

Contaminated packaging Do not reuse container.

Chemical Name	California Hazardous Waste Status	
Chrome Oxide	Toxic	
1308-38-9	Corrosive	
	Ignitable	

# 14. TRANSPORT INFORMATION

DOT Not regulated

Not regulated **TDG** 

**MEX** Not regulated

ICAO (air) Not regulated

Not regulated <u>IATA</u>

Not regulated **IMDG** 

Not regulated <u>RID</u>

<u>ADR</u> Not regulated

**ADN** Not regulated

**GREEN 500** 6/8 **Chromium Oxide Green 500** 

### 15. REGULATORY INFORMATION

### **International Inventories**

**TSCA** Complies **DSL/NDSL** Complies **EINECS/ELINCS** Complies Complies **ENCS IECSC** Complies **KECL** Complies Complies **PICCS** Complies **AICS** 

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Chrome Oxide - 1308-38-9	1.0

### SARA 311/312 Hazard Categories

See section 2 for more information

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Chrome Oxide 1308-38-9	-	X	-	-

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# **US State Regulations**

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Hexavalent chromium - 18540-29-9	Carcinogen
	Developmental
	Female Reproductive
	Male Reproductive

### **U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Chrome Oxide	X	X	X
1308-38-9			

GREEN 500 7 / 8 Chromium Oxide Green 500

Water	-	-	X
7732-18-5			
Chromium trioxide (CrO3)	X	X	X
1333-82-0			

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 0 Flammability 1 Reactivity 0 Physical and Chemical

Properties -

Health hazards 0 Flammability 1 Physical hazards 0 Personal protection X

Prepared By Solomon Colors Issue Date 29-Sep-2020 Revision Date 08-May-2023 Revision Note

Periodic Review

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

GREEN 500 8 / 8 Chromium Oxide Green 500