

SECTION 03 35 19 – COLORED AND PATTERNED CONCRETE FINISHES

- **GENERAL**
- ADMINISTRATIVE REQUIREMENTS
 - Pre-Installation Conference:
 - Attendance: [Architect,] [Owner,] [Contractor,] [Construction Manager,] installer, and related trades.
 - Review: Project conditions, manufacturer requirements, delivery and storage, staging and sequencing, and protection of completed work.
- SUBMITTALS
 - Action Submittals:
 - Product Data: Manufacturer's descriptive data and product attributes for each product.
 - Samples: [Selection samples.] [Verification samples.]
- QUALITY ASSURANCE
 - Installer Qualifications: Minimum [5] [] years' experience in work of this Section.
 - Mockups: Minimum [4 x 4] [] x [] feet. Show each concrete color and finish.
- **PRODUCTS**
- MANUFACTURERS
 - Contract Documents are based on products by Solomon Colors, Inc. www.solomoncolors.com
 - Substitutions: [Refer to Division 01.] [Not permitted.]
- MATERIALS
 - Concrete Materials: Specified in Section [03 30 00.] [] [] []
 - Color Pigment:
 - Source: Iron Oxide Pigment.
 - Description: Iron oxide concrete pigment meeting ASTM C979/C979M; light-fast, insoluble, and alkali resistant, in powdered, liquid, or granular form.
 - Color: []. [To be selected from manufacturer's full color range.]
 - Color Pigment:
 - Source: 908 Carbon Black by Solomon Colors, Inc. www.solomoncolors.com
 - Description: Carbon black in dry or liquid form.
 - Color Pigment:
 - Source: Brickform Powdered Integral Color by Solomon Colors, Inc. www.solomoncolors.com
 - Description: Ultraviolet stable powdered integral concrete color meeting ASTM C979/079M.
 - Color: []. [To be selected from manufacturer's full color range.]
 - Color Hardener:
 - Source: Brickform Color Hardener by Solomon Colors, Inc. www.solomoncolors.com
 - Description: Surface-applied ultraviolet-resistant color concrete hardener.
 - Color: []. [To be selected from manufacturer's full color range.]

- Cementitious Coating:
 - Source: Brickform Cem-Coat by Solomon Colors, Inc. www.solomoncolors.com
 - Description: Cementitious coating producing opaque, mildew and ultraviolet resistant finish.
 - Color: [_____] [To be selected from manufacturer's full color range.]

- Concrete Stain:
 - Source: Brickform ARTesian Stain by Solomon Colors, Inc. www.solomoncolors.com
 - Description: Water-based concrete stain.
 - VOC content: Zero.
 - Color: [_____] [To be selected from manufacturer's full color range.]

- Concrete Stain:
 - Source: Brickform Blush-Tone Acid Stain by Solomon Colors, Inc. www.solomoncolors.com
 - Description: Chemically-reactive acid concrete stain.
 - Color: [_____] [To be selected from manufacturer's full color range.]

- Concrete Stain:
 - Source: Brickform E-Stain by Solomon Colors, Inc. www.solomoncolors.com
 - Description: Non-acid reactive concrete stain.
 - Color: [_____] [To be selected from manufacturer's full color range.]

- Concrete Stain:
 - Source: Brickform Pro-Dye Plus by Solomon Colors, Inc. www.solomoncolors.com
 - Description: Water or acetone-diluted translucent concrete dye.
 - Color: [_____] [To be selected from manufacturer's full color range.]

- Concrete Stain:
 - Source: Brickform FreestylePRO by Solomon Colors, Inc. www.solomoncolors.com
 - Description: Opaque water-based concrete stain.
 - Color: [_____] [To be selected from manufacturer's full color range.]

- Concrete Stain:
 - Source: Brickform Refresh by Solomon Colors, Inc. www.solomoncolors.com
 - Description: Solvent-based, penetrating polysiloxane concrete stain.
 - Color: [_____] [To be selected from manufacturer's full color range.]

- Antiquing Agent:
 - Source: Brickform Antique-It by Solomon Colors, Inc. www.solomoncolors.com
 - Color: [_____] [To be selected from manufacturer's full color range.]

- Concrete Sealer:
 - Source: Brickform [_____] by Solomon Colors, Inc. www.solomoncolors.com
 - Description: [Water] [Solvent] based, [high] [medium] [low] [satin] sheen.

- Bondbreaker:
 - Source: Brickform Antique Release by Solomon Colors, Inc. www.solomoncolors.com
 - Description: Colored release agent.
 - Color: [_____] [To be selected from manufacturer's full color range.]

- Bondbreaker:
 - Source: Brickform Liquid Release by Solomon Colors, Inc. www.solomoncolors.com
 - Description: Non-pigmented release agent.

- Surface Retarder:

- Source: Surface Deactivator by Solomon Colors, Inc. www.solomoncolors.com
- Description: Water based, surface-applied, temporary water retention barrier and curing agent.
- Exposure depth: [Extra Light (0.1 mm).] [Acid Etch (0.2 mm).] [Light Sandblast 1/64 inch (0.5 mm).] [Medium Sandblast 1/32 inch (1 mm).] [Heavy Sandblast 1/16 inch (2 mm).] [Exposure 7/64 inch (2.5 m).] [Exposure 5/32 inch (4 mm).] [Exposure 3/16 inch (5 mm).] [Exposure 13/64 inch (5.5 mm).] [Exposure ¼ inch (6.5 mm).]
- Stamping Mats: Brickform Creative Image Mats, [] Pattern.
- MIXES
 - Mix materials in accordance with manufacturer's instructions.
 - Add color pigment to concrete during mixing to match approved mockups.
- **EXECUTION**
- PREPARATION
 - Prepare surfaces to receive concrete treatments in accordance with manufacturer's instructions
- APPLICATION
 - Apply products in accordance with manufacturer's instructions.
 - Apply [color hardener] [concrete stain] [concrete dye] [antiquing agent] to match approved mockups.
 - Use bondbreaker to prevent [stamping mats and] tools from adhering to surface of concrete.
 - Patterning:
 - Press stamping mats into concrete that has reached plastic stage suitable for imprinting.
 - Match patterns indicated on Drawings.
 - Cure concrete as specified in Section [03 30 00.] [_ _ _.]
 - After curing apply sealer to uniform coverage.

END OF SECTION